

**BOSS**<sup>®</sup>  
AUDIO SYSTEMS

marine




2019





# MR752UAB

**BLUETOOTH® | MARINIZED MP3-COMPATIBLE  
CD AM/FM RECEIVER**  
FEATURING FRONT PANEL USB PORT AND AUX INPUT



## PLAYBACK

- CD±R/RW Audio
- MP3
- **BLUETOOTH® AUDIO STREAMING**  
Stream and Control your Favorite Music APPs

## INPUTS & OUTPUTS

- **BLUETOOTH® Hands Free**
- USB Port
- SD Port
- Aux-In
- **Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players**
- Front & Rear Pre-Amp Outputs

## GENERAL

- Wireless Remote Control
- Detachable Front Panel
- Switchable US & EU Tuner Frequencies
- UV Protected Front Panel
- Conformal Coated PCB
- RDS Tuner
- 60 Watts x 4 Channel



iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by BOSS Audio Systems is under license. Other trademarks and trade names are those of their respective owners.

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev 061918





# MR762BRGB


**BLUETOOTH® | MARINIZED**  
**MP3-COMPATIBLE CD AM/FM RECEIVER**  
 FEATURING MULTI-COLOR ILLUMINATION



FEATURES MULTI-COLOR ILLUMINATION OPTIONS



FULL DETACHABLE FRONT PANEL



## PLAYBACK

- CD±R/RW Audio
- MP3/WMA
- BLUETOOTH® AUDIO STREAMING**  
Stream and Control your Favorite Music APPs

## INPUTS & OUTPUTS

- BLUETOOTH® Hands Free**
- USB Port
- SD Port
- Aux-In
- Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players
- Front & Rear Pre-Amp Outputs

## GENERAL

- Single-DIN Fit
- Multicolor Illumination
- Wireless Remote Control
- Detachable Front Panel
- Switchable US & EU Tuner Frequencies
- RDS Tuner
- Conformal Coated PCB
- UV Protected Front Panel
- 60 Watts x 4 Channel



iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by BOSS Audio Systems is under license. Other trademarks and trade names are those of their respective owners.

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev 061918





# MR508UABW

BLUETOOTH® | MARINE MP3-COMPATIBLE  
CD AM/FM RECEIVER



## PLAYBACK

- CD±R/RW Audio
- MP3
- BLUETOOTH® AUDIO STREAMING**  
Stream and Control your Favorite Music APPs

## INPUTS & OUTPUTS

- BLUETOOTH® Hands Free**
- USB Port
- USB Charging (1A)\*
- Aux-In
- Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players
- Front & Rear Pre-Amp Outputs

## GENERAL

- Wireless Remote Control
- Switchable US & EU Tuner Frequencies
- Conformal Coated PCB
- UV Protected Front Panel
- 50 Watts x 4 Channel



\*Charging only. Not for mobile device playback.

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by BOSS Audio Systems is under license. Other trademarks and trade names are those of their respective owners.

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev 042518





# MR508UABS

BLUETOOTH® | MARINE MP3-COMPATIBLE  
CD AM/FM RECEIVER



## PLAYBACK

- CD±R/RW Audio
- MP3
- BLUETOOTH® AUDIO STREAMING**  
Stream and Control your Favorite Music APPs

## INPUTS & OUTPUTS

- BLUETOOTH® Hands Free**
- USB Port
- USB Charging (1A)\*
- Aux-In
- Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players
- Front & Rear Pre-Amp Outputs

## GENERAL

- Wireless Remote Control
- Switchable US & EU Tuner Frequencies
- Conformal Coated PCB
- UV Protected Front Panel
- 50 Watts x 4 Channel



\*Charging only. Not for mobile device playback.

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by BOSS Audio Systems is under license. Other trademarks and trade names are those of their respective owners.

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev 042518





# MGV550B

BLUETOOTH® | (AUDIO STREAMING) MARINE GAUGE  
DIGITAL MEDIA AM/FM RECEIVER

FEATURING 5" (127 mm) WIDESCREEN TOUCHSCREEN DIGITAL TFT LCD MONITOR



## PLAYBACK

- MP3/WMA
- BLUETOOTH® AUDIO STREAMING**  
*Stream and Control your Favorite Music APPs*

## INPUTS & OUTPUTS

- USB Port
- USB Charging (1A)\*
- Aux-In
- Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players**
- Video Input
- Front, Rear, Sub Pre-Amp Outputs

## GENERAL

- IPX6
- Illuminated Soft Touch Buttons
- Switchable US & EU Tuner Frequencies
- Conformal Coated PCB
- Zero Current Draw Memory (Radio Preset Memory in case of Battery Disconnect)
- Cutout Diameter: 3" (76 mm)
- 60 Watts x 4 Channel

\*Charging only. Not for mobile device playback.

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by BOSS Audio Systems is under license. Other trademarks and trade names are those of their respective owners.



800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 010319





# MGR450B

BLUETOOTH® | (AUDIO STREAMING) MARINE GAUGE  
DIGITAL MEDIA AM/FM RECEIVER  
FEATURING BUILT-IN 4 CHANNEL AMPLIFIER



INCLUDES 2 TRIM BEZELS



ADD A MGR420R WIRED  
REMOTE CONTROL  
(SOLD SEPARATELY)



## PLAYBACK

- MP3/WMA
- BLUETOOTH® AUDIO STREAMING**  
*Stream and Control your Favorite Music APPs*

## INPUTS & OUTPUTS

- USB Port
- USB Charging (1A)\*
- Aux-In
- Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players
- Front, Rear/Sub Pre-Amp Outputs

## GENERAL

- Wired Remote Ready
- 2 Trim Bezels Included
- IPX6\*\*
- NOAA Weather Band Tuner
- Illuminated Soft Touch Buttons
- Switchable US & EU Tuner Frequencies
- RDS Tuner
- Conformal Coated PCB
- Zero Current Draw Memory (*Radio Preset Memory in case of Battery Disconnect*)
- Cutout Diameter: 3" (76 mm)
- 60 Watts x 4 Channel

\*Charging only. Not for mobile device playback. \*\*IPX6—Protected against high pressure water stream from any angle. It is not intended to be submersed completely in water.  
iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.  
The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by BOSS Audio Systems is under license. Other trademarks and trade names are those of their respective owners.



800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev 061918



# MGR420R

## WIRED REMOTE CONTROL

COMPATIBLE WITH MGR450B BLUETOOTH® MARINE GAUGE  
DIGITAL MEDIA AM/FM RECEIVER (SOLD SEPARATELY)



INCLUDES 2 TRIM BEZELS



COMPATIBLE WITH  
BOSS AUDIO SYSTEMS MARINE MGR450B  
(SOLD SEPARATELY)



### FEATURES

- Compatible with MGR450B
- 2 Trim Bezels Included
- Optional 25ft Extension Cable (MGR25C) Available—Sold Separately
- IPX6
- Illuminated Soft Touch Buttons
- Conformal Coated PCB
- Shallow Mounting Depth
- Cutout Diameter: 3" (76 mm)



**MGR25C**  
**OPTIONAL 25FT EXTENSION CABLE**  
(SOLD SEPARATELY)  
*Combined = up to 100 ft.*

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by BOSS Audio Systems is under license. Other trademarks and trade names are those of their respective owners.





# MGR350B

BLUETOOTH® | (AUDIO STREAMING) MARINE GAUGE  
DIGITAL MEDIA AM/FM RECEIVER  
FEATURING BUILT-IN 4 CHANNEL AMPLIFIER



DIGITAL  
MEDIA

BUILT-IN  
**4CH**  
AMPLIFIER



## PLAYBACK

- MP3/WMA
- BLUETOOTH® AUDIO STREAMING**  
*Stream and Control your Favorite Music APPs*

## INPUTS & OUTPUTS

- USB Port
- USB Charging (1A)\*
- Aux-In
- Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players
- Front, Rear/Sub Pre-Amp Outputs

## GENERAL

- IPX6
- NOAA Weather Band Tuner
- Illuminated Soft Touch Buttons
- Switchable US & EU Tuner Frequencies
- RDS Tuner
- Conformal Coated PCB
- Polished Stainless Steel Bezel
- Zero Current Draw Memory (Radio Preset Memory in case of Battery Disconnect)
- Cutout Diameter: 3" (76 mm)
- 60 Watts x 4 Channel

\*Charging only. Not for mobile device playback.

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by BOSS Audio Systems is under license. Other trademarks and trade names are those of their respective owners.



800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 101718



# MR400UAB

BLUETOOTH® | MP3-COMPATIBLE  
DIGITAL MEDIA AM/FM RECEIVER



## PLAYBACK

- MP3/WMA
- **BLUETOOTH® AUDIO STREAMING**  
*Stream and Control your Favorite Music APPs*

## INPUTS & OUTPUTS

- **BLUETOOTH® Hands Free**
- USB Port
- USB Charging (1A)
- Aux-In
- **Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players**
- Front & Rear Pre-Amp Outputs

## GENERAL

- Single-DIN Fit
- Switchable US & EU Tuner Frequencies
- Conformal Coated PCB
- 50 Watts x 4 Channel



iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by BOSS Audio Systems is under license. Other trademarks and trade names are those of their respective owners.



800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev 010319





# MR1308UAB

BLUETOOTH® | MARINE MP3-COMPATIBLE  
DIGITAL MEDIA AM/FM RECEIVER



DIGITAL  
MEDIA



## PLAYBACK

- MP3/WMA
- BLUETOOTH® AUDIO STREAMING**  
*Stream and Control your Favorite Music APPs*

## INPUTS & OUTPUTS

- BLUETOOTH® Hands Free**
- USB Port
- USB Charging (1A)\*
- SD Port
- Aux-In
- Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players
- Front Pre-Amp Outputs

## GENERAL

- Single-DIN Fit
- Wireless Remote Control
- Detachable Front Panel
- Conformal Coated PCB
- Zero Current Draw Memory (Radio Preset Memory in case of Battery Disconnect)
- UV Protected Front Panel
- 50 Watts x 4 Channel



\*Charging only. Not for mobile device playback.

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by BOSS Audio Systems is under license. Other trademarks and trade names are those of their respective owners.

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 101718



# MR1308UABK

BLUETOOTH® | MARINE MP3-COMPATIBLE  
DIGITAL MEDIA AM/FM RECEIVER



DIGITAL  
MEDIA



FULL DETACHABLE FRONT PANEL



## PLAYBACK

- MP3/WMA
- BLUETOOTH® AUDIO STREAMING**  
*Stream and Control your Favorite Music APPs*

## INPUTS & OUTPUTS

- BLUETOOTH® Hands Free**
- USB Port
- USB Charging (1A)\*
- SD Port
- Aux-In
- Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players
- Front Pre-Amp Outputs

## GENERAL

- Single-DIN Fit
- Wireless Remote Control
- Detachable Front Panel
- Conformal Coated PCB
- Zero Current Draw Memory (Radio Preset Memory in case of Battery Disconnect)
- UV Protected Front Panel
- 50 Watts x 4 Channel



\*Charging only. Not for mobile device playback.

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by BOSS Audio Systems is under license. Other trademarks and trade names are those of their respective owners.

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev 101718





# MR632UAB

BLUETOOTH® | MARINE MP3-COMPATIBLE  
DIGITAL MEDIA AM/FM RECEIVER



DIGITAL  
MEDIA



## PLAYBACK


- MP3/WMA
- **BLUETOOTH® AUDIO STREAMING**  
*Stream and Control your Favorite Music APPs*

## INPUTS & OUTPUTS

- **BLUETOOTH® Hands Free**
- USB Port
- USB Charging (1A)\*
- Aux-In
- **Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players**
- Front & Rear Pre-Amp Outputs

## GENERAL

- Single-DIN Fit
- Wireless Remote Control
- Detachable Front Panel
- Conformal Coated PCB
- Switchable US & EU Tuner Frequencies
- UV Protected Front Panel
- 50 Watts x 4 Channel



\*Charging only. Not for mobile device playback.

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by BOSS Audio Systems is under license. Other trademarks and trade names are those of their respective owners.


800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 101718



# MCK752WB.64

BLUETOOTH® | MARINE MP3-COMPATIBLE CD AM/FM RECEIVER  
**PLUS** 2 PAIRS - 6.5" (165 mm) MARINE FULL RANGE SPEAKER  
 SYSTEM AND MARINE DIPOLE ANTENNA



## PLAYBACK

- CD±R/RW Audio
- MP3
- **BLUETOOTH® AUDIO STREAMING**  
Stream and Control your Favorite Music APPs

## INPUTS & OUTPUTS

- **BLUETOOTH® Hands Free**
- USB Port
- SD Port
- Aux-In
- **Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players**
- Front & Rear Pre-Amp Outputs

## GENERAL

- Wireless Remote Control
- Detachable Front Panel
- Switchable US & EU Tuner Frequencies
- RDS Tuner
- Conformal Coated PCB
- UV Protected Front Panel
- 60 Watts x 4 Channel

## SPEAKERS

- 180 Watts Peak Power
- Resin Treated Cloth Surround
- Polypropylene Cone
- Dual Cone Design



iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by BOSS Audio Systems is under license. Other trademarks and trade names are those of their respective owners.

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 101718





# MCK752WB.6

**BLUETOOTH® | MARINE MP3-COMPATIBLE CD AM/FM RECEIVER**  
**PLUS** 1 PAIR - 6.5" (165 mm) MARINE FULL RANGE SPEAKER  
 SYSTEM AND MARINE DIPOLE ANTENNA



## PLAYBACK

- CD±R/RW Audio
- MP3
- BLUETOOTH® AUDIO STREAMING**  
Stream and Control your Favorite Music APPs

## INPUTS & OUTPUTS

- BLUETOOTH® Hands Free**
- USB Port
- SD Port
- Aux-In
- Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players
- Front & Rear Pre-Amp Outputs

## GENERAL

- Wireless Remote Control
- Detachable Front Panel
- Switchable US & EU Tuner Frequencies
- RDS Tuner
- Conformal Coated PCB
- UV Protected Front Panel
- 60 Watts x 4 Channel

## SPEAKERS

- 180 Watts Peak Power
- Resin Treated Cloth Surround
- Polypropylene Cone
- Dual Cone Design



iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by BOSS Audio Systems is under license. Other trademarks and trade names are those of their respective owners.

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 101718



# MCK508WB.64S

BLUETOOTH® | MARINE MP3-COMPATIBLE CD AM/FM RECEIVER

**PLUS** 2 PAIRS - 6.5" (165 mm) MARINE FULL RANGE SPEAKER SYSTEM AND MARINE DIPOLE ANTENNA, MARINE RADIO COVER AND 3.5 mm STEREO AUXILIARY CABLE



MARINE DIPOLE ANTENNA

3.5 mm STEREO AUXILIARY CABLE

UNIVERSAL MARINE RADIO COVER



## PLAYBACK

- CD±R/RW Audio
- MP3
- BLUETOOTH® AUDIO STREAMING**  
Stream and Control your Favorite Music APPs

## INPUTS & OUTPUTS

- BLUETOOTH® Hands Free**
- USB Port
- USB Charging (1A)\*
- Aux-In
- Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players
- Front & Rear Pre-Amp Outputs

## GENERAL

- Wireless Remote Control
- Switchable US & EU Tuner Frequencies
- Conformal Coated PCB
- UV Protected Front Panel
- 50 Watts x 4 Channel

## SPEAKERS

- 180 Watts Peak Power
- Resin Treated Cloth Surround
- Polypropylene Cone
- Dual Cone Design
- Composite Basket



\*Charging only. Not for mobile device playback.

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by BOSS Audio Systems is under license. Other trademarks and trade names are those of their respective owners.

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev 042518





# MCK508WB.6

BLUETOOTH® | MARINE MP3-COMPATIBLE CD AM/FM RECEIVER

**PLUS** 1 PAIR - 6.5" (165 mm) MARINE FULL RANGE SPEAKER SYSTEM AND MARINE DIPOLE ANTENNA



## PLAYBACK

- CD±R/RW Audio
- MP3
- BLUETOOTH® AUDIO STREAMING**  
Stream and Control your Favorite Music APPs

## INPUTS & OUTPUTS

- BLUETOOTH® Hands Free**
- USB Port
- USB Charging (1A)\*
- Aux-In
- Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players
- Front & Rear Pre-Amp Outputs

## GENERAL

- Wireless Remote Control
- Switchable US & EU Tuner Frequencies
- Conformal Coated PCB
- UV Protected Front Panel
- 50 Watts x 4 Channel

## SPEAKERS

- 180 Watts Peak Power
- Resin Treated Cloth Surround
- Polypropylene Cone
- Dual Cone Design
- Composite Basket



\*Charging only. Not for mobile device playback.

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by BOSS Audio Systems is under license. Other trademarks and trade names are those of their respective owners.

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)


rev 042518



# MCKGB450W.6

BLUETOOTH® | (AUDIO STREAMING) MARINE GAUGE DIGITAL MEDIA AM/FM RECEIVER

**PLUS** 1 PAIR - 6.5" (165 mm) MARINE FULL RANGE SPEAKER SYSTEM AND MARINE DIPOLE ANTENNA



MARINE DIPOLE ANTENNA



## PLAYBACK

- MP3/WMA
- BLUETOOTH® AUDIO STREAMING**  
*Stream and Control your Favorite Music APPs*

## INPUTS & OUTPUTS

- USB Port
- USB Charging (1A)\*
- Aux-In
- Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players
- Front, Rear/Sub Pre-Amp Outputs

## GENERAL

- IPX6\*\*
- NOAA Weather Band Tuner
- Switchable US & EU Tuner Frequencies
- RDS Tuner
- Conformal Coated PCB
- Polished Stainless Steel Bezel (2 Trim Bezels Included)
- Zero Current Draw Memory (Radio Preset Memory in case of Battery Disconnect)
- Cutout Diameter: 3" (76 mm)
- Wired Remote Ready
- Illuminated Soft Touch Buttons
- 60 Watts x 4 Channel

## SPEAKERS

- 180 Watts Peak Power
- Resin Treated Cloth Surround
- Polypropylene Cone
- Dual Cone Design
- Composite Basket

\*Charging only. Not for mobile device playback.

\*\*IPX6--Protected against high pressure water stream from any angle. It is not intended to be submersed completely in water.

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by BOSS Audio Systems is under license. Other trademarks and trade names are those of their respective owners.



800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 062018





# MCKGB450B.6

BLUETOOTH® | (AUDIO STREAMING) MARINE GAUGE DIGITAL MEDIA AM/FM RECEIVER

**PLUS** 1 PAIR - 6.5" (165 mm) MARINE FULL RANGE SPEAKER SYSTEM AND MARINE DIPOLE ANTENNA



DIGITAL  
MEDIA

BUILT-IN  
4CH  
AMPLIFIER



MARINE DIPOLE  
ANTENNA



## PLAYBACK

- MP3/WMA
- BLUETOOTH® AUDIO STREAMING**  
*Stream and Control your Favorite Music APPs*

## INPUTS & OUTPUTS

- USB Port
- USB Charging (1A)\*
- Aux-In
- Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players
- Front, Rear/Sub Pre-Amp Outputs

## GENERAL

- IPX6\*\*
- NOAA Weather Band Tuner
- Switchable US & EU Tuner Frequencies
- RDS Tuner
- Conformal Coated PCB
- Polished Stainless Steel Bezel (2 Trim Bezels Included)
- Zero Current Draw Memory (Radio Preset Memory in case of Battery Disconnect)
- Cutout Diameter: 3" (76 mm)
- Wired Remote Ready
- Illuminated Soft Touch Buttons
- 60 Watts x 4 Channel

## SPEAKERS

- 180 Watts Peak Power
- Resin Treated Cloth Surround
- Polypropylene Cone
- Dual Cone Design
- Composite Basket

\*Charging only. Not for mobile device playback.

\*\*IPX6--Protected against high pressure water stream from any angle. It is not intended to be submersed completely in water.

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by BOSS Audio Systems is under license. Other trademarks and trade names are those of their respective owners.



800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)


rev. 062018



# MCKGB350W.6

BLUETOOTH® | (AUDIO STREAMING) MARINE GAUGE DIGITAL MEDIA AM/FM RECEIVER

**PLUS** 1 PAIR - 6.5" (165 mm) MARINE FULL RANGE SPEAKER SYSTEM AND MARINE DIPOLE ANTENNA



DIGITAL  
MEDIA

**BUILT-IN  
4CH  
AMPLIFIER**



MARINE DIPOLE  
ANTENNA



## PLAYBACK

- MP3/WMA
- **BLUETOOTH® AUDIO STREAMING**  
*Stream and Control your Favorite Music APPs*

## INPUTS & OUTPUTS

- USB Port
- USB Charging (1A)\*
- Aux-In
- **Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players**
- Front, Rear/Sub Pre-Amp Outputs

## GENERAL

- IPX6\*\*
- NOAA Weather Band Tuner
- Switchable US & EU Tuner Frequencies
- RDS Tuner
- Conformal Coated PCB
- Polished Stainless Steel Bezel
- Zero Current Draw Memory (*Radio Preset Memory in case of Battery Disconnect*)
- Cutout Diameter: 3" (76 mm)
- 60 Watts x 4 Channel

## SPEAKERS

- 180 Watts Peak Power
- Resin Treated Cloth Surround
- Polypropylene Cone
- Dual Cone Design
- Composite Basket

\*Charging only. Not for mobile device playback.

\*\*IPX6—Protected against high pressure water stream from any angle. It is not intended to be submersed completely in water.

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by BOSS Audio Systems is under license. Other trademarks and trade names are those of their respective owners.



800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 06/2018





# MCKGB350B.6

BLUETOOTH® | (AUDIO STREAMING) MARINE GAUGE DIGITAL MEDIA AM/FM RECEIVER

**PLUS** 1 PAIR - 6.5" (165 mm) MARINE FULL RANGE SPEAKER SYSTEM AND MARINE DIPOLE ANTENNA



DIGITAL  
MEDIA

**BUILT-IN  
4CH  
AMPLIFIER**



MARINE DIPOLE  
ANTENNA



## PLAYBACK

- MP3/WMA
- **BLUETOOTH® AUDIO STREAMING**  
*Stream and Control your Favorite Music APPs*

## INPUTS & OUTPUTS

- USB Port
- USB Charging (1A)\*
- Aux-In
- **Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players**
- Front, Rear/Sub Pre-Amp Outputs

## GENERAL

- IPX6\*\*
- NOAA Weather Band Tuner
- Switchable US & EU Tuner Frequencies
- RDS Tuner
- Conformal Coated PCB
- Polished Stainless Steel Bezel
- Zero Current Draw Memory (*Radio Preset Memory in case of Battery Disconnect*)
- Cutout Diameter: 3" (76 mm)
- 60 Watts x 4 Channel

## SPEAKERS

- 180 Watts Peak Power
- Resin Treated Cloth Surround
- Polypropylene Cone
- Dual Cone Design
- Composite Basket

\*Charging only. Not for mobile device playback.

\*\*IPX6—Protected against high pressure water stream from any angle. It is not intended to be submersed completely in water.

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by BOSS Audio Systems is under license. Other trademarks and trade names are those of their respective owners.



800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 06/2018



# MCK1308WB.6

BLUETOOTH® | MARINE MP3-COMPATIBLE DIGITAL MEDIA AM/FM RECEIVER

**PLUS** 1 PAIR - 6.5" (165 mm) MARINE FULL RANGE SPEAKER SYSTEM AND MARINE DIPOLE ANTENNA



MARINE DIPOLE ANTENNA

DETACHABLE FRONT PANEL

DIGITAL MEDIA



## PLAYBACK

- MP3/WMA
- BLUETOOTH® AUDIO STREAMING**  
*Stream and Control your Favorite Music APPs*

## INPUTS & OUTPUTS

- BLUETOOTH® Hands Free**
- USB Port
- USB Charging (1A)\*
- SD Port
- Aux-In
- Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players
- Front Pre-Amp Outputs

## GENERAL

- Single-DIN Fit
- Wireless Remote Control
- Detachable Front Panel
- Conformal Coated PCB
- Zero Current Draw Memory (Radio Preset Memory in case of Battery Disconnect)
- UV Protected Front Panel
- 50 Watts x 4 Channel

## SPEAKERS

- 180 Watts Peak Power
- Resin Treated Cloth Surround
- Polypropylene Cone
- Dual Cone Design



\*Charging only. Not for mobile device playback.

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by BOSS Audio Systems is under license. Other trademarks and trade names are those of their respective owners.

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 101718





# MCK1307W.6

MARINE MP3-COMPATIBLE DIGITAL MEDIA AM/FM RECEIVER

**PLUS** 1 PAIR - 6.5" (165 mm) MARINE FULL RANGE SPEAKER SYSTEM AND MARINE DIPOLE ANTENNA



## PLAYBACK

- MP3/WMA

## INPUTS & OUTPUTS


- USB Port
- SD Port
- Aux-In
- Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players
- Front Pre-Amp Outputs

## GENERAL

- Wireless Remote Control
- Detachable Front Panel
- Switchable US & EU Tuner Frequencies
- Conformal Coated PCB
- Zero Current Draw Memory (Radio Preset Memory in case of Battery Disconnect)
- UV Protected Front Panel
- 50 Watts x 4 Channel

## SPEAKERS

- 180 Watts Peak Power
- Resin Treated Cloth Surround
- Polypropylene Cone
- Dual Cone Design



iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 101718



# MCK632WB.64

BLUETOOTH® | MARINE MP3-COMPATIBLE DIGITAL MEDIA  
AM/FM RECEIVER

**PLUS** 2 PAIRS - 6.5" (165 mm) MARINE FULL RANGE SPEAKER SYSTEM AND  
MARINE DIPOLE ANTENNA AND 3.5 mm STEREO AUXILIARY CABLE



## PLAYBACK

- MP3/WMA
- BLUETOOTH® AUDIO STREAMING**  
*Stream and Control your Favorite Music APPs*

## INPUTS & OUTPUTS

- BLUETOOTH® Hands Free**
- USB Port
- USB Charging (1A)\*
- Aux-In
- Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players
- Front & Rear Pre-Amp Outputs

## GENERAL

- Wireless Remote Control
- Detachable Front Panel
- Switchable US & EU Tuner Frequencies
- 50 Watts x 4 Channel

## SPEAKERS

- 180 Watts Peak Power
- Resin Treated Cloth Surround
- Polypropylene Cone
- Dual Cone Design
- Composite Basket



\*Charging only. Not for mobile device playback.

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by BOSS Audio Systems is under license. Other trademarks and trade names are those of their respective owners.

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 101718





# MCK632WB.6

BLUETOOTH® | MARINE MP3-COMPATIBLE DIGITAL MEDIA AM/FM RECEIVER

**PLUS** 1 PAIR - 6.5" (165 mm) MARINE FULL RANGE SPEAKER SYSTEM AND MARINE DIPOLE ANTENNA AND 3.5 mm STEREO AUXILIARY CABLE



## PLAYBACK

- MP3/WMA
- **BLUETOOTH® AUDIO STREAMING**  
*Stream and Control your Favorite Music APPs*

## INPUTS & OUTPUTS

- **BLUETOOTH® Hands Free**
- USB Port
- USB Charging (1A)\*
- Aux-In
- **Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players**
- Front & Rear Pre-Amp Outputs

## GENERAL

- Wireless Remote Control
- Detachable Front Panel
- Switchable US & EU Tuner Frequencies
- 50 Watts x 4 Channel

## SPEAKERS

- 180 Watts Peak Power
- Resin Treated Cloth Surround
- Polypropylene Cone
- Dual Cone Design
- Composite Basket



\*Charging only. Not for mobile device playback.

iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by BOSS Audio Systems is under license. Other trademarks and trade names are those of their respective owners.

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 101718



# MCK400WB.6

BLUETOOTH® | MP3-COMPATIBLE  
DIGITAL MEDIA AM/FM RECEIVER

**PLUS** 1 PAIR - 6.5" (165 mm) MARINE FULL RANGE SPEAKER SYSTEM AND  
MARINE DIPOLE ANTENNA



MARINE DIPOLE  
ANTENNA

DIGITAL  
MEDIA

FULLY  
MARINIZED



## PLAYBACK

- MP3/WMA
- **BLUETOOTH® AUDIO STREAMING**  
*Stream and Control your Favorite Music APPs*

## INPUTS & OUTPUTS

- **BLUETOOTH® Hands Free**
- USB Port
- USB Charging (1A)
- Aux-In
- **Compatible with Audio Output of iPod®/iPhone®, Smartphones, and MP3 Players**
- Front & Rear Pre-Amp Outputs

## GENERAL

- Single-DIN Fit
- Switchable US & EU Tuner Frequencies
- Conformal Coated PCB
- 50 Watts x 4 Channel
- Marine Dipole Antenna

## SPEAKERS

- 180 Watts Peak Power
- Resin Treated Cloth Surround
- Polypropylene Cone
- Dual Cone Design
- Composite Basket



iPod® and iPhone® are registered trademarks of Apple, Inc., in the U.S. and other countries.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by BOSS Audio Systems is under license. Other trademarks and trade names are those of their respective owners.

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev 010319






# MR1950

**5 CHANNEL BRIDGEABLE POWER AMPLIFIER**  
FEATURING REMOTE SUBWOOFER CONTROL



**5**  
CHANNEL

**MR1950**  
1950 WATTS MAX POWER



## FEATURES

- 5/4/3/2 Channel
- Full-Range, Class A/B
- 2  $\Omega$  Stereo Stable
- PWM MOSFET Power Supply
- RCA & Speaker Level Inputs
- HP & LP Filters
- Bass Boost
- Conformal Coated PCB
- Remote Subwoofer Control
- Weatherproof

## SPECIFICATIONS

**5 CHANNEL BRIDGEABLE**

**MR1950**

**POWER @  
4  $\Omega$  (MAX)**

150 W x 4 +  
375 W x 1

**POWER @  
2  $\Omega$  (MAX)**

300 W x 4 +  
750 W x 1

**BRIDGED  
POWER (4  $\Omega$ )**

600 W x 2 +  
375 W x 1  
(CH 1, 2 & 3, 4)

**DIMENSIONS  
L x W x H**

20.1" L x 7.31" W x 2.1" H  
(510 L x 186 W x 52 H mm)

REMOTE  
SUBWOOFER  
CONTROL



800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 101818



# MR1200PA

## 4 CHANNEL BRIDGEABLE POWER AMPLIFIER

FEATURING PUBLIC ADDRESS SYSTEM WITH MICROPHONE AND  
REMOTE SUBWOOFER CONTROL



PUBLIC ADDRESS  
MICROPHONE



**MR1200PA**  
1200 WATTS MAX POWER



### FEATURES

- 4/3/2 Channel
- Full-Range, Class A/B
- 2  $\Omega$  Stereo Stable
- PWM MOSFET Power Supply
- RCA & Speaker Level Inputs
- HP & LP Filters
- Bass Boost
- Conformal Coated PCB
- Remote Subwoofer Control
- Weatherproof

### SPECIFICATIONS

4 CHANNEL BRIDGEABLE

**MR1200PA**

POWER @  
4  $\Omega$  (MAX)

150 W x 4

POWER @  
2  $\Omega$  (MAX)

300 W x 4

BRIDGED  
POWER (4  $\Omega$ )

600 W x 2

DIMENSIONS  
L x W x H

12.75" x 7.38" x 2.25"  
(324 x 187 x 57 mm)

REMOTE  
SUBWOOFER  
CONTROL



800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 101818





# MR1000

**4 CHANNEL BRIDGEABLE POWER AMPLIFIER**  
FEATURING REMOTE SUBWOOFER CONTROL



**4**  
CHANNEL

**MR1000**  
1000 WATTS MAX POWER



## FEATURES

- 4/3/2 Channel
- Full-Range, Class A/B
- 2  $\Omega$  Stereo Stable
- PWM MOSFET Power Supply
- RCA & Speaker Level Inputs
- HP & LP Filters
- Bass Boost
- Conformal Coated PCB
- Remote Subwoofer Control
- Weatherproof

## SPECIFICATIONS

**4 CHANNEL BRIDGEABLE**

**MR1000**

**POWER @  
4  $\Omega$  (MAX)**

125 W x 4

**POWER @  
2  $\Omega$  (MAX)**

250 W x 4

**BRIDGED  
POWER (4  $\Omega$ )**

500 W x 2

**DIMENSIONS  
L x W x H**

12.75" x 7.38" x 2.25"  
(324 x 187 x 57 mm)

REMOTE  
SUBWOOFER  
CONTROL



800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 101818



# MR800

**2 CHANNEL BRIDGEABLE POWER AMPLIFIER**  
FEATURING REMOTE SUBWOOFER CONTROL



**2**  
CHANNEL

**MR800**  
800 WATTS MAX POWER



## FEATURES

- 2/1 Channel
- Full-Range, Class A/B
- 2  $\Omega$  Stereo Stable
- PWM MOSFET Power Supply
- RCA & Speaker Level Inputs
- HP & LP Filters
- Bass Boost
- Conformal Coated PCB
- Remote Subwoofer Control
- Weatherproof

## SPECIFICATIONS

**2 CHANNEL BRIDGEABLE**

**MR800**

**POWER @  
4  $\Omega$  (MAX)**

200 W x 2

**POWER @  
2  $\Omega$  (MAX)**

400X W x 2

**BRIDGED  
POWER (4  $\Omega$ )**

800 W x 1

**DIMENSIONS  
L x W x H**

8.75" x 7.25" x 2.25"  
(222 x 184 x 57 mm)

REMOTE  
SUBWOOFER  
CONTROL



800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 101818





# MR1004

## 4 CHANNEL POWER AMPLIFIER



**MR1004**  
400 WATTS MAX POWER



FEATURES	SPECIFICATIONS	POWER @ 4 $\Omega$ (MAX)	POWER @ 2 $\Omega$ (MAX)	BRIDGED POWER (4 $\Omega$ )	DIMENSIONS L x W x H
<ul style="list-style-type: none"> <li>4 Channel</li> <li>Full-Range, Class A/B</li> <li>2<math>\Omega</math> Stereo Stable</li> <li>Gain Control</li> <li>Power LED</li> <li>RCA &amp; Speaker Level Inputs</li> <li>Conformal Coated PCB</li> </ul>	4 CHANNEL	50 W x 4	100X W x 4	—	7.75" x 9.0" x 2.0" (197 x 229 x 51 mm)
	MR1004				



# MRWT69RGB

6" x 9" (152 x 229 mm) 2-WAY MARINE  
WAKETOWER/UTV ROLL BAR SPEAKER SYSTEM  
FEATURING 20 MULTICOLOR ILLUMINATION OPTIONS



6x9 INCH



SOLD INDIVIDUALLY

## FEATURES

- 2-Way System
- Rubber Surround
- Polypropylene Cone
- 1" (25 mm) Dome Tweeter
- 20 Multicolor Illumination Options
- Dynamic Illumination Patterns
- Speed and Brightness Controls
- Wireless Illumination Remote



RGB feature allows for control of LED light functions. Choose from having a constant one color illumination of choice or to rotate between multiple colors in a strobe or fade mode.



SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3 dB)	SENSITIVITY @ 1W/1m	TWEETER(S)	MOUNTING BRACKET
MRWT69RGB	600 W	4 Ω	65 Hz - 20 kHz	89 dB	1" PEI DOME	2" - 3" DIAMETER

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev 011918





# MRWT69W / MRWT69

6" x 9" (152 x 229 mm) MARINE WAKETOWER  
4-WAY FULL RANGE SPEAKER SYSTEM

6x9<sup>INCH</sup>

SOLD  
INDIVIDUALLY

**MRWT69**  
6" x 9" 2-WAY SPEAKER  
(BLACK FINISH)

**MRWT69W**  
6" x 9" 2-WAY SPEAKER  
(WHITE FINISH)



## FEATURES

- 4-Way System
- Rubber Surround
- Polypropylene Cone
- Composite Basket
- 2.5" (63 mm) Midrange
- (2) 1" (25 mm) Dome Tweeters

FULLY  
MARINIZED



SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE ( $\pm 3$ dB)	SENSITIVITY @ 1W/1m	MIDRANGE	TWEETER(S)	MOUNTING BRACKET
<b>MRWT69W</b> (WHITE)	550 W	4 $\Omega$	40 Hz - 20 kHz	95 dB	2.5"	1" x 2 DOME	2" - 3" DIAMETER
<b>MRWT69</b> (BLACK)	550 W	4 $\Omega$	40 Hz - 20 kHz	95 dB	2.5"	1" x 2 DOME	2" - 3" DIAMETER

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 101818



# MRWT40RGB

## 4" (102 mm) 2-WAY MARINE WAKETOWER/UTV ROLL BAR SPEAKER SYSTEM

FEATURING MULTICOLOR ILLUMINATION OPTIONS & EFFECTS



### FEATURES


- 2-Way System
- Rubber Surround
- Polypropylene Cone
- 1" (25 mm) Dome Tweeter
- 4" (102 mm) Midbass Driver
- 20 Color Illumination Options
- Multi-pattern Illumination Options
- Wireless Remote Control



FULLY  
MARINIZED



### FEATURES 20 MULTICOLOR ILLUMINATION OPTIONS



SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE ( $\pm 3$ dB)	SENSITIVITY @ 1W/1m	MIDRANGE	TWEETER(S)	MOUNTING BRACKET
MRWT40RGB	400 W	4 $\Omega$	130 Hz - 20 kHz	94 dB	4"	1" DOME	2" - 2.5" DIAMETER

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)


rev. 010319





# MRWT40

4" (102 mm) 2-WAY MARINE WAKETOWER/UTV  
ROLL BAR SPEAKER SYSTEM



## FEATURES

- 2-Way System
- Rubber Surround
- Polypropylene Cone
- 1" (25 mm) Dome Tweeter
- 4" (102 mm) Midbass Driver



SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE ( $\pm 3$ dB)	SENSITIVITY @ 1W/1m	MIDRANGE	TWEETER(S)	MOUNTING BRACKET
MRWT40	400 W	4 $\Omega$	130 Hz - 20 kHz	94 dB	4"	1" DOME	2" - 2.5" DIAMETER

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 062018



# B62RGB

## 6.5" (165 mm) 2-WAY MARINE WAKETOWER/UTV ROLL BAR SPEAKER SYSTEM

FEATURING MULTICOLOR ILLUMINATION OPTIONS & EFFECTS



6.5" INCH

SOLD IN PAIRS



### FEATURES

- 2-Way System
- Rubber Surround
- Polypropylene Cone
- 1" (25 mm) Dome Tweeters
- 6.5" (165 mm) Midbass Driver
- 20 Color Illumination Options
- Multi-pattern Illumination Options
- Wireless Illumination Remote

FULLY MARINIZED



### FEATURES 20 MULTICOLOR ILLUMINATION OPTIONS



SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE ( $\pm 3$ dB)	SENSITIVITY @ 1W/1m	MIDRANGE	TWEETER(S)	MOUNTING BRACKET
B62RGB	750 W	4 $\Omega$	65 Hz - 20 kHz	94 dB	6.5"	1" DOME	1.5" - 3" DIAMETER

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev 010319





# B40RGB

4" (102 mm) 2-WAY MARINE WAKETOWER/UTV ROLL BAR  
SPEAKER SYSTEM WITH BUILT-IN CLASS D AMPLIFIER  
FEATURING BLUETOOTH® CONTROLLER AND MULTICOLOR  
ILLUMINATION OPTIONS & EFFECTS



4 INCH

SOLD IN  
PAIRS

## FEATURES

- 2-Way System
- Rubber Surround
- Polypropylene Cone
- Built-In 2-Channel Class D Amplifier
- 1" (25 mm) Dome Tweeters
- 4" (102 mm) Midbass Driver
- 20 Color Illumination Options
- Multi-pattern Illumination Options
- Wireless Illumination Remote

## WIRED BLUETOOTH® MFC FEATURES

- Bluetooth® v4.0 w/Simple Pairing
- Bluetooth® Audio & Control (A2DP & AVRCP)
- Stream and Control your Favorite Music APPs
- IPX5-Rated (Waterproof/Dustproof)
- Aux-In
- Illuminated Soft Touch Controls

FULLY  
MARINIZED



WIRED BLUETOOTH®  
CONTROLLER

## FEATURES 20 MULTICOLOR ILLUMINATION OPTIONS



SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3 dB)	SENSITIVITY @ 1W/1m	MIDRANGE	TWEETER(S)	MOUNTING BRACKET
B40RGB	500 W	4 Ω	130 Hz - 20 kHz	94 dB	4"	1" DOME	1.5" - 2.5" DIAMETER

800.999.1236 | www.bossaudio.com

rev 010319



# MR105

## 10" (254 mm) MARINE 4 Ω SUBWOOFER



### MR105


1000 WATTS MAX POWER



10 INCH

### FEATURES

- Rubber Surround
- Polypropylene Cone
- Composite Basket
- High Temperature Voice Coil
- Custom Grille



SPECIFICATIONS	POWER HANDLING (MAX)	IMPEDANCE	FREQUENCY RESPONSE (Fs)	Qts	Qes	Qms	EQUIVALENT COMPLIANCE (Vas)	SENSITIVITY @ 1W / 1m	MOUNTING DEPTH
MR105	1000 W	4 Ω	43 Hz	0.390	0.44	3.59	1.130 ft <sup>3</sup>	87 dB	4.13" (105 mm)

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 101818





# MR752C

7.5" (191 mm) 2-WAY MARINE LOUDSPEAKER  
FEATURING REMOVABLE TWEETERS



7.5" INCH




**MR752C**  
400 WATTS MAX POWER

## FEATURES

- 2-Way System
- Rubber Surround
- Polypropylene Cone
- Composite Basket
- Custom Grill
- 12dB/Oct Component Crossover
- 25 mm Dome Tweeter

FULLY MARINIZED



**SURFACE MOUNT OPTION**  
MR752C can be mounted as a component system.



SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3 dB)	SYSTEM SENSITIVITY @ 1W / 1m	TWEETER(S)	MOUNTING DEPTH
MR752C	400 W	4 Ω	40 Hz–20 kHz	90 dB	1" (25 mm)	2.76" (70 mm)

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 101818



# MR652C

**6.5" (165 mm) 2-WAY MARINE LOUDSPEAKER**  
FEATURING REMOVABLE TWEETERS



**6.5" INCH**




**MR652C**  
350 WATTS MAX POWER

## FEATURES

- 2-Way System
- Rubber Surround
- Polypropylene Cone
- Composite Basket
- Custom Grill
- 12dB/Oct Component Crossover
- 25 mm Dome Tweeter

**FULLY MARINIZED**



**SURFACE MOUNT OPTION**  
MR652C can be mounted as a component system.



SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE (±3 dB)	SYSTEM SENSITIVITY @ 1W / 1m	TWEETER(S)	MOUNTING DEPTH
MR652C	350 W	4 Ω	60 Hz–20 kHz	90 dB	1" (25 mm)	2.44" (62 mm)

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 101818





# MRGB65

**6.5" (165 mm) 2-WAY MARINE LOUDSPEAKER**  
FEATURING 20 MULTI-COLOR ILLUMINATION OPTIONS




**6.5" INCH**




**MRGB65**  
200 WATTS MAX POWER

## FEATURES

- 200 Watts Max Power
- Polypropylene Cone
- Resin Treated Cloth Surround
- Composite Basket
- 20 Illumination Color Options
- 19 Dynamic Illumination Patterns
- Speed and Brightness Controls
- Interconnect Lighting Control  
*(Allows adding more speakers all controlled by a single remote control)*
- Stainless Steel Hardware
- 25 mm Tweeter
- Includes Illumination Control Hub



RGB feature allows for control of LED light functions. Choose from having a constant one color illumination of choice or to rotate between multiple colors in a strobe or fade mode.



SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE ( $\pm 3$ dB)	SYSTEM SENSITIVITY @ 1W / 1m	TWEETER(S)	MOUNTING DEPTH
MRGB65	200 W	4 $\Omega$	70 Hz–20 kHz	88 dB	1" (25 mm)	2.56" (65 mm)

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev 081018



# MRGB65S

**6.5" (165 mm) 2-WAY MARINE LOUDSPEAKER**  
FEATURING 20 MULTI-COLOR ILLUMINATION OPTIONS




**6.5 INCH**





**MRGB65S**  
200 WATTS MAX POWER

## FEATURES

- 200 Watts Max Power
- Polypropylene Cone
- Resin Treated Cloth Surround
- Composite Basket
- 20 Illumination Color Options
- 19 Dynamic Illumination Patterns
- Speed and Brightness Controls
- Interconnect Lighting Control  
*(Allows adding more speakers all controlled by a single remote control)*
- Stainless Steel Hardware
- 25 mm Tweeter
- Includes Illumination Control Hub



RGB feature allows for control of LED light functions. Choose from having a constant one color illumination of choice or to rotate between multiple colors in a strobe or fade mode.



SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE ( $\pm 3$ dB)	SYSTEM SENSITIVITY @ 1W / 1m	TWEETER(S)	MOUNTING DEPTH
MRGB65S	200 W	4 $\Omega$	70 Hz–20 kHz	88 dB	1" (25 mm)	2.56" (65 mm)

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 062018





# MRGB65B

**6.5" (165 mm) 2-WAY MARINE LOUDSPEAKER**  
FEATURING 20 MULTI-COLOR ILLUMINATION OPTIONS




**6.5" INCH**




**MRGB65B**  
200 WATTS MAX POWER

## FEATURES

- 200 Watts Max Power
- Polypropylene Cone
- Resin Treated Cloth Surround
- Composite Basket
- 20 Illumination Color Options
- 19 Dynamic Illumination Patterns
- Speed and Brightness Controls
- Interconnect Lighting Control  
*(Allows adding more speakers all controlled by a single remote control)*
- Stainless Steel Hardware
- 25 mm Tweeter



RGB feature allows for control of LED light functions. Choose from having a constant one color illumination of choice or to rotate between multiple colors in a strobe or fade mode.



SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE ( $\pm 3$ dB)	SYSTEM SENSITIVITY @ 1W / 1m	TWEETER(S)	MOUNTING DEPTH
MRGB65B	200 W	4 $\Omega$	70 Hz–20 kHz	88 dB	1" (25 mm)	2.56" (65 mm)

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 062018



# MR692W

6" x 9" (152 x 229 mm) 2-WAY MARINE  
FULL RANGE SPEAKER SYSTEM




**MR692W**  
350 WATTS MAX POWER



**6x9** INCH

## FEATURES

- 2-Way System
- Resin Treated Cloth Surround
- Polypropylene Cone
- Dual Cone Design
- Composite Basket
- 25 mm Dome Tweeter



SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE ( $\pm 3$ dB)	SYSTEM SENSITIVITY @ 1W / 1m	TWEETER(S)	MOUNTING DEPTH
MR692W	350 W	4 $\Omega$	60 Hz–20 kHz	92 dB	1" (25 mm)	3.38" (86 mm)

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 062018





# MR692B

6" x 9" (152 x 229 mm) 2-WAY MARINE  
FULL RANGE SPEAKER SYSTEM




**MR692B**  
350 WATTS MAX POWER



**6x9** INCH

## FEATURES

- 2-Way System
- Resin Treated Cloth Surround
- Polypropylene Cone
- Dual Cone Design
- Composite Basket
- 25 mm Tweeter



SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE ( $\pm 3$ dB)	SYSTEM SENSITIVITY @ 1W / 1m	TWEETER(S)	MOUNTING DEPTH
MR692B	350 W	4 $\Omega$	60 Hz–20 kHz	92 dB	1" (25 mm)	3.38" (86 mm)

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 062018



# MR62W

## 6.5" (165 mm) 2-WAY MARINE FULL RANGE SPEAKER SYSTEM




**MR62W**  
200 WATTS MAX POWER



**6.5** INCH

### FEATURES

- 2-Way System
- Resin Treated Cloth Surround
- Polypropylene Cone
- Composite Basket
- 13 mm Tweeter



SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE ( $\pm 3$ dB)	SYSTEM SENSITIVITY @ 1W / 1m	TWEETER(S)	MOUNTING DEPTH
MR62W	200 W	4 $\Omega$	80 Hz–20 kHz	90 dB	0.5" (13 mm)	2.63" (67 mm)

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 062018





# MR62B

## 6.5" (165 mm) 2-WAY MARINE FULL RANGE SPEAKER SYSTEM




**MR62B**  
200 WATTS MAX POWER



**6.5** INCH

### FEATURES

- 2-Way System
- Resin Treated Cloth Surround
- Polypropylene Cone
- Composite Basket
- 13 mm Tweeter



SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE ( $\pm 3$ dB)	SYSTEM SENSITIVITY @ 1W / 1m	TWEETER(S)	MOUNTING DEPTH
MR62B	200 W	4 $\Omega$	80 Hz–20 kHz	90 dB	0.5" (13 mm)	2.63" (67 mm)

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 062018



# MR52W

## 5.25" (133 mm) 2-WAY MARINE FULL RANGE SPEAKER SYSTEM




**MR52W**  
150 WATTS MAX POWER



**5.25" INCH**

### FEATURES

- 2-Way System
- Resin Treated Cloth Surround
- Polypropylene Cone
- Composite Basket
- 13 mm Tweeter



SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE ( $\pm 3$ dB)	SYSTEM SENSITIVITY @ 1W / 1m	TWEETER(S)	MOUNTING DEPTH
MR52W	150 W	4 $\Omega$	80 Hz–20 kHz	89 dB	0.5" (13 mm)	2.13" (56 mm)

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 062018





# MR52B

5.25" (133 mm) 2-WAY MARINE  
FULL RANGE SPEAKER SYSTEM




**MR52B**  
150 WATTS MAX POWER



**5.25" INCH**

## FEATURES

- 2-Way System
- Resin Treated Cloth Surround
- Polypropylene Cone
- Composite Basket
- 13 mm Tweeter



SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE ( $\pm 3$ dB)	SYSTEM SENSITIVITY @ 1W / 1m	TWEETER(S)	MOUNTING DEPTH
<b>MR52B</b>	150 W	4 $\Omega$	80 Hz–20 kHz	89 dB	0.5" (13 mm)	2.13" (56 mm)

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 062018



# MR690

6" x 9" (152 x 229 mm) MARINE 2-WAY  
FULL RANGE SPEAKER SYSTEM




**MR690**  
350 WATTS MAX POWER



**6x9** INCH

## FEATURES

- Resin Treated Cloth Surround
- Polypropylene Cone
- Dual Cone Design
- Composite Basket
- 13 mm Dome Tweeter



SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE ( $\pm 3$ dB)	SYSTEM SENSITIVITY @ 1W / 1m	TWEETER(S)	MOUNTING DEPTH
MR690	350 W	4 $\Omega$	60 Hz–20 kHz	92 dB	0.5" (13 mm)	3.43" (87 mm)

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 101818





# MR60W

## 6.5" (165 mm) MARINE 2-WAY FULL RANGE SPEAKER SYSTEM




**MR60W**  
200 WATTS MAX POWER



**6.5** INCH

### FEATURES

- 2-Way System
- Resin Treated Cloth Surround
- Polypropylene Cone
- Dual Cone Design
- Composite Basket
- 25 mm Dome Tweeter



SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE ( $\pm 3$ dB)	SYSTEM SENSITIVITY @ 1W / 1m	TWEETER(S)	MOUNTING DEPTH
MR60W	200 W	4 $\Omega$	80 Hz–20 kHz	90 dB	1" (25 mm)	2.19" (56 mm)

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 062018



# MR60B

## 6.5" (165 mm) MARINE 2-WAY FULL RANGE SPEAKER SYSTEM




**MR60B**  
200 WATTS MAX POWER



**6.5** INCH

### FEATURES

- 2-Way System
- Resin Treated Cloth Surround
- Polypropylene Cone
- Dual Cone Design
- Composite Basket
- 25 mm Dome Tweeter



SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE ( $\pm 3$ dB)	SYSTEM SENSITIVITY @ 1W / 1m	TWEETER(S)	MOUNTING DEPTH
MR60B	200 W	4 $\Omega$	80 Hz–20 kHz	90 dB	1" (25 mm)	2.19" (56 mm)

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 062018





# MR50W

5.25" (133 mm) 2-WAY MARINE  
FULL RANGE SPEAKER SYSTEM




**MR50W**  
150 WATTS MAX POWER



**5.25" INCH**

## FEATURES

- 2-Way System
- Resin Treated Cloth Surround
- Polypropylene Cone
- Dual Cone Design
- Composite Basket
- 25 mm Dome Tweeter



SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE ( $\pm 3$ dB)	SYSTEM SENSITIVITY @ 1W / 1m	TWEETER(S)	MOUNTING DEPTH
MR50W	150 W	4 $\Omega$	80 Hz–20 kHz	89 dB	1" (25 mm)	2.19" (56 mm)

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 062018



# MR50B

5.25" (133 mm) 2-WAY MARINE  
FULL RANGE SPEAKER SYSTEM




**MR50B**  
150 WATTS MAX POWER



**5.25 INCH**

## FEATURES

- 2-Way System
- Resin Treated Cloth Surround
- Polypropylene Cone
- Dual Cone Design
- Composite Basket
- 25 mm Dome Tweeter



SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE ( $\pm 3$ dB)	SYSTEM SENSITIVITY @ 1W / 1m	TWEETER(S)	MOUNTING DEPTH
MR50B	150 W	4 $\Omega$	80 Hz–20 kHz	89 dB	1" (25 mm)	2.19" (56 mm)





# MR6W

## 6.5" (165 mm) MARINE DUAL CONE SPEAKER SYSTEM



**MR6W**  
180 WATTS MAX POWER




**6.5" INCH**



### FEATURES

- Resin Treated Cloth Surround
- Polypropylene Cone
- Dual Cone Design
- Composite Basket



SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE ( $\pm 3$ dB)	SYSTEM SENSITIVITY @ 1W / 1m	MOUNTING DEPTH
MR6W	180 W	4 $\Omega$	80 Hz–20 kHz	89 dB	2.24" (57 mm)

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 062018



# MR6B

## 6.5" (165 mm) MARINE DUAL CONE SPEAKER SYSTEM




**MR6B**  
180 WATTS MAX POWER



### FEATURES

- Resin Treated Cloth Surround
- Polypropylene Cone
- Dual Cone Design
- Composite Basket



SPECIFICATIONS	POWER HANDLING (MAX)	SYSTEM IMPEDANCE	FREQUENCY RESPONSE ( $\pm 3$ dB)	SYSTEM SENSITIVITY @ 1W / 1m	MOUNTING DEPTH
MR6B	180 W	4 $\Omega$	80 Hz–20 kHz	89 dB	2.24" (57 mm)

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 062018





# TUBE

BLUETOOTH® | PORTABLE SPEAKER SYSTEM



INCLUDES ADJUSTABLE  
SHOULDER STRAP



## FEATURES

- IPX5
- **BLUETOOTH®** AUDIO STREAMING
- SD and USB Ports
- FM Tuner
- Track, Volume and Station Controls
- Rechargeable Li-Ion Battery
- Cigarette Lighter Adapter for Charging
- Soft Touch Controls
- Blue LED Illumination w/Music Sync
- Adjustable Shoulder Strap

Dimensions: 11.25" (285.8 mm) x 4.6" (117.5 mm)

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by BOSS Audio Systems is under license. Other trademarks and trade names are those of their respective owners.



800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 062018





# BOLT

## BLUETOOTH® | PORTABLE SPEAKER SYSTEM

FEATURING BUILT-IN EMERGENCY FLASHLIGHT  
AND WIRELESS LINKING (UP TO 2 PCS.)



### FEATURES

- IPX4
- **BLUETOOTH®** Connectivity with 33 Ft. Range
- Stream Music to Both Speakers Wirelessly and Simultaneously
- True Wireless
- Hands-free Calling
- Play Music with a USB/TF Card
- Built-in Rechargeable Li-Ion Battery
- Built-in Emergency Flashlight
- 15 Hours Playtime
- 3.5 mm Aux-in

Dimensions: 2.62" (66.7 mm) Dia. x 8.25" (209.5 mm)

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by BOSS Audio Systems is under license. Other trademarks and trade names are those of their respective owners.



EASY ACCESS CONNECTION PORTS



AVAILABLE IN MULTIPLE COLORS



RUBBERIZED ANTI-SLIP BASE



SOLD IN PAIRS

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 010319





# MRH7

## UNIVERSAL MARINE WATERPROOF RADIO HOUSING



### FEATURES

- Fully Sealed Waterproof Cover with Heavy Duty Gasket
- Compatible with One DIN Size Head Units
- U.V. Stabilized A.B.S. Plastic Housing
- Polycarbonate Tinted Front Panel
- Impact-resistant A.B.S.
- Stainless Steel and Rust Proof Hardware
- Adjustable Universal Mounting Bracket
- External Wiring for Power, Speakers and Pre-Amp



COVER SHOWN OPEN  
(Head unit not included)


800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 062018



# MRC10

## UNIVERSAL MARINE RADIO COVER



### FEATURES

- Fully Sealed Waterproof Cover
- Push Button Activates Auto-Slide Lens Cover
- Compatible with One DIN Size Head Units
- U.V. Stabilized A.B.S. Plastic Housing
- Polycarbonate Tinted Front Panel
- Impact-resistant A.B.S.
- Stainless Steel & Rust Proof Mounting Hardware
- Sealed with an EVA Gasket



COVER SHOWN OPEN  
(Head unit not included)

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 062018





# MRC5

## UNIVERSAL MARINE RADIO COVER



### FEATURES

- Fully Sealed Waterproof Cover
- Compatible with One DIN Size Head Units
- U.V. Stabilized A.B.S. Plastic Housing
- Polycarbonate Tinted Front Panel
- Impact-resistant A.B.S.
- Stainless Steel & Rust Proof Mounting Hardware



COVER SHOWN OPEN  
(Head unit not included)

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 062018



# MRC5B

## UNIVERSAL MARINE RADIO COVER



### FEATURES

- Fully Sealed Waterproof Cover
- Compatible with One DIN Size Head Units
- U.V. Stabilized A.B.S. Plastic Housing
- Polycarbonate Tinted Front Panel
- Impact-resistant A.B.S.
- Stainless Steel & Rust Proof Mounting Hardware



COVER SHOWN OPEN  
(Head unit not included)

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 062018





# MRANT12W

## UNIVERSAL RUBBER ANTENNA



### FEATURES

- "Rubber Duck" Type of Antenna
- Flexible Mast
- 56" Cable
- Adjustable Base for Top or Side Mounting Surfaces

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 062018



# MRANT12

## UNIVERSAL RUBBER ANTENNA



### FEATURES

- "Rubber Duck" Type of Antenna
- Flexible Mast
- 56" Cable
- Adjustable Base for Top or Side Mounting Surfaces

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 062018





# MRANT10

## MARINE DIPOLE ANTENNA



**TOTAL LENGTH 41" (104 mm)**

800.999.1236 | [www.bossaudio.com](http://www.bossaudio.com)

rev. 062018



# PRODUCT DISPLAYS

**CUSTOM BUILT IN-STORE DEMO DISPLAY**  
FEATURING YOUR CHOICE OF PRODUCT SELECTION

We offer in-store display systems to show off and demonstrate the unique features of BOSS AUDIO SYSTEMS MARINE products. You can order the display systems configured to display multiple combinations of units or models.



## FULL FLOOR DISPLAY

40" (W) x 27" (D) x 75" (H)

- Head Units/Speakers Module
- Amplifier Module
- Subwoofer Module
- Waketower Display Bar
- Display Side Panels
- "Wave" Decorative Accent Panels



## DUAL MODULE COUNTERTOP DISPLAY

40" (W) x 19" (D) x 42" (H)

- Head Units/Speakers Module
- Amplifier Section Mounted above Head Units/Speakers Module
- "Wave" Decorative Accent Panels



## SINGLE MODULE COUNTERTOP DISPLAY

40" (W) x 19" (D) x 23" (H)

- Head Units/Speakers Module
- "Wave" Decorative Accent Panels





**BOSS AUDIO SYSTEMS**

3451 LUNAR COURT ■ OXNARD, CA 93030  
www.bossaudio.com ■ 805.988.0192

All specifications are subject to change without notice. Copyright© 2019 BOSS AUDIO SYSTEMS.

iPod® and iPhone® are trademarks of Apple, Inc. registered in the U.S. and other countries. BOSS Audio Systems is not affiliated with Apple, Inc.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by BOSS Audio Systems is under license. Other trademarks and trade names are those of their respective owners.