

PREMIUM RIB BOATS


GRAND
INFLATABLE BOATS





GOLDEN LINE
G850

LENGHT	BEAM	MAX POWER
850 cm	295 cm	400 hp
27'11"	9'8"	294 kw
TUBE	CAPACITY	WEIGHT
60 cm	12/16	1200 kg
24"		2640 lbs



G850GL



GOLDEN LINE
G750

LENGHT	BEAM	MAX POWER
750 cm	285 cm	250 hp
24'6"	9'4"	184 kw
TUBE	CAPACITY	WEIGHT
58 cm	10/13	950 kg
22"		2094 lbs



G750GL



GOLDEN LINE
G650

LENGHT	BEAM	MAX POWER
650 cm	265 cm	200 hp
21'4"	8'8"	147,1 kw
TUBE	CAPACITY	WEIGHT
55 cm	12	620 kg
22"		1367 lbs




G650GLF



GOLDEN LINE
G580

LENGHT	BEAM	MAX POWER
585 cm	245 cm	150 hp
19'2"	8'0"	110,3 kw
TUBE	CAPACITY	WEIGHT
50 cm	11	535 kg
20"		1177 lbs




G580GLF



GOLDEN LINE
G500

LENGHT	BEAM	MAX POWER
495 cm	230 cm	115 hp
16'3"	7'7"	84,6 kw
TUBE	CAPACITY	WEIGHT
50 cm	9	435 kg
20"		957 lbs



G500GLF



GOLDEN LINE
G420

LENGHT	BEAM	MAX POWER
420 cm	198 cm	60 hp
13'9"	6'6"	44,1 kw
TUBE	CAPACITY	WEIGHT
48 cm	6	255 kg
19"		562 lbs



G420GLF



G340 380

LENGHT	BEAM	MAX POWER
330/360 cm	176/186 cm	30/40 hp
10'10" / 11'10"	5'9" / 6'1"	22,1/29,4 kw
TUBE	CAPACITY	WEIGHT
43/46 cm	4/5	129/170 kg
17" / 18"		284/374 lbs



G380GEF



LUX D600

LENGHT	BEAM	MAX POWER
612 cm	250 cm	150 hp
20'1"	8'2"	110,3 kw
TUBE	CAPACITY	WEIGHT
50 cm	12	597 kg
20"		1316 lbs



D600 LUX



ACTIVE D600

D600 ACTIVE

LENGHT	BEAM	MAX POWER
612 cm 20'1"	250 cm 8'2"	150 hp 110,3 kw
TUBE	CAPACITY	WEIGHT
50 cm 20"	12	596 kg 1314 lbs



DRIVE D600

D600 DRIVE

LENGHT	BEAM	MAX POWER
612 cm 20'1"	250 cm 8'2"	150 hp 110,3 kw
TUBE	CAPACITY	WEIGHT
50 cm 20"	12	626 kg 1380 lbs





SILVER LINE

S520

	LENGTH cm/ft&inch	BEAM cm/ft&inch	TUBE cm/inch	CAPACITY	WEIGHT kg/lbs	POWER hp/kw
S520	520/17'1"	220/7'3"	50/20"	9	225/495	100/73,3
S520S	520/17'1"	220/7'3"	50/20"	9	255/562	100/73,6
S520L	520/17'1"	220/7'3"	50/20"	9	285/627	100/73,6



S520S



S520LF



SILVER LINE

S470N

	LENGTH cm/ft&inch	BEAM cm/ft&inch	TUBE cm/inch	CAPACITY	WEIGHT kg/lbs	POWER hp/kw
S470N	470/15'5"	205/6'9"	50/20"	8	170/374	70/51,5
S470NS	470/15'5"	205/6'9"	50/20"	8	200/440	70/51,5
S470NL	470/15'5"	205/6'9"	50/20"	8	208/458	70/51,5



S470NS



S470NLF



S

S370N

S420N

	LENGTH cm/ft&inch	BEAM cm/ft&inch	TUBE cm/inch	CAPACITY	WEIGHT kg/lbs	POWER hp/kw
S370N	370/12'2"	185/6'1"	46/18"	5	95/209	30/22,1
S370NS	370/12'2"	185/6'1"	46/18"	5	120/264	30/22,1
S370NL	370/12'2"	185/6'1"	46/18"	5	124/273	30/22,1
S420N	420/13'9"	195/6'5"	46/18"	8	115/253	50/36,8
S420NS	420/13'9"	195/6'5"	46/18"	8	145/319	50/36,8
S420NL	420/13'9"	195/6'5"	46/18"	8	145/319	50/36,8



S420NS



S420NLF



S

S250

S330

	LENGTH cm/ft&inch	BEAM cm/ft&inch	TUBE cm/inch	CAPACITY	WEIGHT kg/lbs	POWER hp/kw
S250	250/8'2"	146/4'9"	38/15"	3	42/93	6/4,4
S275	275/9'0"	155/5'1"	40/16"	3	53/117	10/7,4
S300	300/9'10"	167/5'6"	43/17"	4	56/123	15/11
S330	330/10'10"	169/5'7"	43/17"	4	63/139	25/18,4
S300S	300/9'10"	167/5'6"	43/17"	4	77/169	15/11
S330S	330/10'10"	169/5'7"	43/17"	4	84/185	25/18,4
S300L	300/9'10"	167/5'6"	43/17"	4	77/169	15/11
S330L	330/10'10"	169/5'7"	43/17"	4	85/185	25/18,4



S300S



S300LF



RANGER R360-380

	LENGTH cm/ft&inch	BEAM cm/ft&inch	TUBE cm/inch	CAPACITY	WEIGHT kg/lbs	POWER hp/kw
R380	380/12'6"	190/6'2"	46/18"	7	78/172	30/22,1
R420	420/13'9"	205/6'7"	48/19"	9	88/194	40/29,4
R460	460/15'1"	205/6'7"	48/19"	10	102/224	50/36,8




R420



CORVETTE C360-240

	LENGTH cm/ft&inch	BEAM cm/ft&inch	TUBE cm/inch	CAPACITY	WEIGHT kg/lbs	POWER hp/kw
C240/240A	240/7'10"	140/4'7"	36/14"	2	29/24	5/3,7
C270/270A	270/8'10"	155/5'1"	40/16"	3	45/32	10/7,4
C300/300A	300/9'10"	165/5'5"	43/17"	4	54/33	15/11,1
C330/330A	330/10'10"	165/5'5"	43/17"	4	60/36	20/14,9
C360/360A	360/11'10"	184/6'0"	46/18"	5	73/42	30/22,1




C360



ELF E300-210

	LENGTH cm/ft&inch	BEAM cm/ft&inch	TUBE cm/inch	CAPACITY	WEIGHT kg/lbs	POWER hp/kw
E210	210/6'11"	130/4'3"	34/13"	2	18/39	4/2,9
E240	240/7'10"	130/4'3"	34/13"	3	20/44	5/3,7
E270	270/8'10"	145/4'9"	37/15"	3	24/53	8/5,9
E300	300/9'10"	160/5'3"	40/16"	4	29/64	10/7,4




E240



ARGUS A550-380

	LENGTH cm/ft&inch	BEAM cm/ft&inch	TUBE cm/inch	CAPACITY	WEIGHT kg/lbs	POWER hp/kw
A380/380P	380/12'6"	100/3'3"	30/12"	2	19/24	4/2,9
A450/450P	450/14'9"	100/3'3"	30/12"	3	22/27	5/3,7
A550/550P	550/18'1"	104/3'5"	32/13"	4	30/36	8/5,9



A450



GRAND
INFLATABLE BOATS

Potemkina str. 18a, Solonicevka 62370,
Dergachevsky distr., Kharkovskaya obl.,
UKRAINE

Tel: + 380 57 7840125

Tel/fax: + 380 57 7840124

www.grandboats.com

mail@grandmarine.com.ua

